

SAFETY DATA SHEET

Bijlard Latex contactlijm 330

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Bijlard Latex contactlijm 330

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For use in latex compounding

Uses advised against Non-industrial, non-professional uses.

1.3. Details of the supplier of the safety data sheet

Supplier Bijlard International

Postbus 398 2700 AJ Zoetermeer The Netherlands 0031 79 343 7538 0031 79 343 7539 info@bijlard.com

1.4. Emergency telephone number

Emergency telephone 00441619983226 Monday - Friday (8.15am-4.45pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Bijlard Latex contactlijm 330

Precautionary statements P261 Avoid breathing vapour/ spray.

P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.
P280 Wear protective clothing.
P280 Wear eye protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P313 Get medical advice/ attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P404 Store in a closed container.

P501 Dispose of contents/ container in accordance with national regulations.

Labelling notes As supplied, this product does not meet the requirements for labelling.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. This product contains Ammonia which if inhaled may give rise to respiratory irritation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

AMMONIA <=1%

CAS number: 1336-21-6 EC number: 215-647-6 REACH registration number: 01-

2119488876-14-XXXX

M factor (Acute) = 1

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Ingredient notes Colloidal dispersion of Natural Rubber particles in water.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Consult a physician for specific advice.

Inhalation Move affected person to fresh air at once.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any

discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water.

Bijlard Latex contactlijm 330

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

Get medical attention promptly if symptoms occur after washing. Users should be aware of

the risk posed by residual protein in articles produced from natural rubber latex which can give

rise to an allergic reaction in sensitised individuals.

Inhalation This product contains a small amount of ammonia and May cause respiratory system

irritation.

Ingestion May cause discomfort if swallowed. Get immediate medical attention as latex coagulates in

the digestive tract. Do not induce vomiting.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. The product is not flammable.

Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Does not decompose when used and stored as recommended. No unusual fire or explosion

hazards noted. Raw rubber is lighter than water so that the burning material may float on any pools of water present. Sprinkler installations are recommended for fire control in storage

areas.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk. Containers close to fire should be

removed or cooled with water.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. For personal

protection, see Section 8. Avoid breathing gas, fume, vapours or spray. Do not eat, drink or

smoke when using this product.

For non-emergency personnel Evacuate all non-emergency personnel from the scene of the accident/spill

6.2. Environmental precautions

Bijlard Latex contactlijm 330

Environmental precautions Avoid discharge into drains. Avoid the spillage or runoff entering drains, sewers or

watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Avoid the spillage or runoff entering drains, sewers or watercourses. Drying or

coagulation with aluminium sulphate, or similar material.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste

disposal, see section 13. Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Eye wash facilities and emergency shower

must be available when handling this product. If ventilation is inadequate, suitable respiratory protection must be worn. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes,

gas, vapour or mist.

Advice on general occupational hygiene

Eye wash facilities and emergency shower must be available when handling this product. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container. Store at temperatures between 15°C and 20°C. Avoid heat. Avoid freezing. Unsuitable containers: common metals (iron, aluminium, copper). Equipment used

for latex must be cleaned regularly to avoid development of micro-organisms.

Storage class Recommended storage temperature 5-30 Celsius

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Provide sufficient air exchange and/or exhaust in work rooms. Exhaust ventilation is

necessary if the product is to be sprayed. Contact with skin and eyes and inhalation of

vapours must be avioded under all circumstances.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

AMMONIA

Long-term exposure limit (8-hour TWA): WEL 25 ppm 18 mg/m³ Short-term exposure limit (15-minute): WEL 35 ppm 25 mg/m³

WEL = Workplace Exposure Limit

AMMONIA (CAS: 1336-21-6)

Bijlard Latex contactlijm 330

DNEL Industry - Inhalation; Long term local effects: 14 mg/m³

Industry - Inhalation; Long term systemic effects: 47.6 mg/m³ Industry - Dermal; Long term systemic effects: 6.8 mg/kg/day Industry - Dermal; Short term systemic effects: 6.8 mg/kg/day Consumer - Oral; Long term systemic effects: 6.8 mg/m³

Consumer - Inhalation; Long term systemic effects: 23.8 mg/m³ Consumer - Dermal; Long term systemic effects: 6.8 mg/kg/day Consumer - Inhalation; Short term local effects: 7.2 mg/m³ Industry - Inhalation; Short term local effects: 36 mg/m³

PNEC - Fresh water; 0.001 mg/l
- Marine water; 0.0011 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Neoprene. Nitrile rubber.

Other skin and body protection

Provide eyewash station and safety shower. Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. Wear a respirator fitted with the following cartridge: Gas filter, type K.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Avoid the spillage or runoff entering drains, sewers or watercourses. For waste disposal, see Section 13.

SECTION 9: Physical and Chemical Properties

Bijlard Latex contactlijm 330

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Milky. White.

Odour Ammonia.

Odour threshold Not relevant. Not relevant.

pH Not relevant.

Melting point Not determined.

Initial boiling point and range °C @

Flash point Not relevant.

Evaporation factor Not determined.

Upper/lower flammability or

explosive limits

Not relevant. :: Not relevant.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density Not relevant.

Bulk density Not determined.

Solubility(ies) Not determined. Miscible with water.

Partition coefficient Not relevant.

Auto-ignition temperature Not relevant.

Decomposition Temperature Not determined.

Viscosity Not relevant.

Density

9.2. Other information

Other information Not relevant.

Solvent content:

Solids content:

Water:

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures. Avoid excessive heat for prolonged periods of time.

Avoid contact with acids. Avoid contamination with copper, manganese, brass iron and zinc as this could cause discouloration and breakdown of the compound. Natural latex matures

during storage. It is advisable to use the oldest latex first (stock rotation)

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Avoid contact with acids and alkalis. Avoid heat.

Bijlard Latex contactlijm 330

10.4. Conditions to avoid

Conditions to avoid Avoid freezing. Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents. Alcohols. Inorganic salts. Organic salts.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

products other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given below for the mixture is based upon the results of the calculation method.

Some of the information given is also taken from data given for the individual ingredients of

the mixture.

Other health effects

May cause eye and respiratory system irritation. Workers exposed to products containing

natural rubber latex may develop sysmptons of irritation and/or allergic reactions such as skin

rashes, nasal, eye or sinus symptons; and in rare cases anaphalactic shock.

Acute toxicity - oral

Notes (oral LD₅₀) The product is not expected to be acutely toxic

Acute toxicity - dermal

Notes (dermal LD50) Not determined. Data lacking.

Acute toxicity - inhalation

Notes (inhalation LC50) Not determined. Data lacking.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Extreme pH Not determined.

Serious eye damage/irritation

Serious eye damage/irritation Not determined. Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met. However exposure to high

levels of rubber dust may lead to irritation of the respiratory tract.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroNot determined. Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Not determined. Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Not determined. Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Bijlard Latex contactlijm 330

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information Extensive use of the product in areas with inadequate ventilation may result in the

> accumulation of hazardous vapour concentrations. This product smells strongly of ammonia, and should be handled in a well ventilated area. See section 8 for recommendations on use

Inhalation May cause respiratory system irritation.

Ingestion Liquid irritates mucous membranes and may cause abdominal pain if swallowed. If injested

can cause nausea, vomiting and gastric irritation.

Skin contact Liquid may irritate skin.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

hazards

Route of entry Skin and/or eye contact Ingestion.

Target organs Eyes Skin Respiratory tract

Irritation of eyes and mucous membranes. Skin irritation. Liquid irritates mucous membranes Medical symptoms

and may cause abdominal pain if swallowed.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Information given below for the mixture is based upon the results of the calculation method.

Some of the information given is also taken from data given for the individual ingredients of

the mixture. Not considered toxic to fish.

Not determined. Acute toxicity - fish

Acute toxicity - aquatic

Not determined.

invertebrates

Acute toxicity - aquatic plants Not determined.

Not determined. Acute toxicity -

microorganisms

Chronic toxicity - fish early life Not determined.

stage

Short term toxicity - embryo

Not determined.

and sac fry stages

Chronic toxicity - aquatic

Not determined.

invertebrates

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Effect on Effluent Treatment

12.3. Bioaccumulative potential

Bijlard Latex contactlijm 330

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not relevant.

12.4. Mobility in soil

MobilityThe product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. When handling waste, the safety precautions applying to handling of the product should be considered. Waste is suitable for incineration. Recylcle waste where possible. Latex or water containing latex may be stored in a sttling down tank, then coagulated with alumininium sulphate, iron or calcium chloride, or similar material. An absorbent material may be used. After coagulation/absorbtion, shovel into appropriate

containers for disposal in accordance with local regulations.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

Road transport notes Avoid releasing into the environment.

Rail transport notes Avoid releasing into the environment.

Sea transport notesDo not release into the environment.

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Bijlard Latex contactlijm 330

No information required.

Segregation Code

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to No information required.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

Control of Substances Hazardous to Health Regulations 2002 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commision Regulation (EU) No 453/2010 of 20 May 2010

Guidance L131 Approved Classification and Labelling Guide (Sixth Edition)

EH40/2005 Workplace exposure limits

Health and environmental

listings

This product does not contain any of the chemicals listed on the candidate list of Substances

of Very High Concern

Authorisations (Title VII

Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 20/09/2017

Revision 2

Supersedes date 26/01/2016

SDS number 21251

SDS status Approved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.