



## SAFETY DATA SHEET

### Contact Kit

According to Regulation (EC) No 1907/2006, Annex II, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Contact Kit
Product number	
Synonyms; trade names	CONTACT ADHESIVE
UFI	UFI: TYSJ-SC1C-T00C-FH37

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Adhesive.
Uses advised against	Applications involving the use of naked flames and static discharges Non-industrial, non-professional uses.

##### 1.3. Details of the supplier of the safety data sheet

Supplier	Bijlard International Platinastraat 141 2718 SR Zoetermeer The Netherlands +31 79 343 7538 +31 79 343 7539 info@bijlard.com
----------	---

##### 1.4. Emergency telephone number

Emergency telephone	+31 (0) 79-3437538
---------------------	--------------------

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards	Flam. Liq. 2 - H225
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H336
Environmental hazards	Aquatic Chronic 2 - H411

##### 2.2. Label elements

###### Hazard pictograms



Signal word

Danger

## Contact Kit

<b>Hazard statements</b>	<p>EUH208 Contains ROSIN. May produce an allergic reaction.</p> <p>H225 Highly flammable liquid and vapour.</p> <p>H315 Causes skin irritation.</p> <p>H319 Causes serious eye irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p>
<b>Precautionary statements</b>	<p>P243 Take action to prevent static discharges.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p>
<b>Contains</b>	Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane, BUTANONE, acetone, CYCLOHEXANE
<b>Supplementary precautionary statements</b>	<p>P242 Use non-sparking tools.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P308+P313 IF exposed or concerned: Get medical advice/ attention.</p> <p>P404 Store in a closed container.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Content

### 3.2. Mixtures

<b>Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, &lt;5% n-hexane</b>	<b>30-40%</b>
CAS number: —	EC number: 921-024-6
	REACH registration number: 01-2119475514-35
<b>Classification</b>	
Flam. Liq. 2 - H225	
Skin Irrit. 2 - H315	
STOT SE 3 - H336	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	

## Contact Kit

<b>BUTANONE</b>		<b>20-30%</b>
CAS number: 78-93-3	EC number: 201-159-0	REACH registration number: 01-2119457290-43-XXXX
<b>Classification</b>		
Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		
<b>ACETONE</b>		<b>10-20%</b>
CAS number: 67-64-1	EC number: 200-662-2	REACH registration number: 01-2119471330-49-XXXX
<b>Classification</b>		
Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		
<b>CYCLOHEXANE</b>		<b>3-5%</b>
CAS number: 110-82-7	EC number: 203-806-2	REACH registration number: 01-2119463273-41-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	
<b>Classification</b>		
Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
<b>Magnesium Oxide</b>		<b>&lt;1.0%</b>
CAS number: 1309-48-4	EC number: 215-171-9	
<b>Classification</b>		
Not Classified		
<b>ROSIN</b>		<b>&lt;1.0%</b>
CAS number: 8050-09-7	EC number: 232-475-7	REACH registration number: 01-2119480418-32-XXXX
<b>Classification</b>		
Skin Sens. 1 - H317		

## Contact Kit

<b>Talc</b>	<b>&lt;1.0%</b>
CAS number: 14807-96-6	EC number: 238-877-9
<b>Classification</b>	
Acute Tox. 4 - H332	
STOT SE 3 - H335	
<b>Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene</b>	<b>&lt;1.0%</b>
CAS number: 68610-51-5	EC number: 271-867-2
	REACH registration number: 01-2119496062-39-XXXX
<b>Classification</b>	
Repr. 2 - H361d	
Aquatic Chronic 4 - H413	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

**Ingredient notes** As of February 2026, n-Hexane has been designated as an SVHC in the EU. [Although not directly added to the formulation, this substance is a constituent of a Hydrocarbon solvent in the formulation.] This product contains ingredients which are subject to restriction according to ANNEX XVII of REACH, see section 15 for further details.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Remove affected person from source of contamination. Remove contaminated soaked clothing immediately and dispose of safely
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Chemical burns must be treated by a physician. Get medical attention immediately.
<b>Inhalation</b>	Vapours may cause headache, fatigue, dizziness and nausea.
<b>Ingestion</b>	May cause stomach pain or vomiting.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

## Contact Kit

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Carbon dioxide (CO<sub>2</sub>). Alcohol-resistant foam. Powder. Water spray, fog or mist.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** No unusual fire or explosion hazards noted.

**Hazardous combustion products** When heated, vapours/gases hazardous to health may be formed.

#### 5.3. Advice for firefighters

**Protective actions during firefighting** Move containers from fire area if it can be done without risk. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters** Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Do not discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

#### 6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in tightly-closed, original container.

**Storage class** Flammable liquid storage.

#### 7.3. Specific end use(s)

## Contact Kit

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### **BUTANONE**

Long-term exposure limit (8-hour TWA): WEL 200 ppm(Sk) 600 mg/m<sup>3</sup>(Sk)

Short-term exposure limit (15-minute): WEL 300 ppm(Sk) 899 mg/m<sup>3</sup>(Sk)

##### **ACETONE**

Long-term exposure limit (8-hour TWA): WEL 500 ppm 1210 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 1500 ppm 3620 mg/m<sup>3</sup>

##### **CYCLOHEXANE**

Long-term exposure limit (8-hour TWA): WEL 100 ppm 350 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 300 ppm 1050 mg/m<sup>3</sup>

##### **Magnesium Oxide**

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL

##### **ROSIN**

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 0,15 mg/m<sup>3</sup>

Sen

##### **Talc**

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup> respirable dust

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup>

##### **Hydrocarbons,C7, n-alkanes, isoalkanes, cyclics**

Long-term exposure limit (8-hour TWA): OEL = Occupational Exposure Limit 500 ppm 2085 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

Sen = Capable of causing occupational asthma.

##### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

##### **DNEL**

Consumer - Oral; Long term systemic effects: 699 mg/kg/day

Industry - Oral; Long term systemic effects: 2035 mg/kg/day

Consumer - Dermal; Long term systemic effects: 699 mg/kg/day

Industry - Dermal; Long term systemic effects: 773 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 608 mg/m<sup>3</sup>

##### BUTANONE (CAS: 78-93-3)

##### **DNEL**

Industry - Inhalation; Short term local effects: 600 mg/kg/day

Industry - Dermal; : 1161 mg/kg/day

Consumer - Dermal; : 412 mg/kg/day

Consumer - Inhalation; : 106 mg/m<sup>3</sup>

Consumer - Dermal; Long term systemic effects: 31 mg/kg

## Contact Kit

**PNEC**

- Fresh water; 55.8 mg/l
- Sediment (Marinewater); 284.74 mg/kg
- Soil; 22.5 mg/kg
- marine water; 55.8 mg/l
- Intermittent release; 55.8 mg/l
- Sediment (Freshwater); 284.7 mg/kg
- STP; 709 mg/l
- Food. Secondary poisoning; 1000 mg/kg

### ACETONE (CAS: 67-64-1)

**DNEL**

- Industry - Dermal; Long term : 186 mg/kg/day
- Industry - Inhalation; Short term : 2420 mg/m<sup>3</sup>
- Industry - Inhalation; Long term : 1210 mg/m<sup>3</sup>
- Consumer - Oral; Long term : 62 mg/kg/day
- Consumer - Dermal; Long term : 62 mg/kg/day
- Consumer - Inhalation; Long term : 200 mg/m<sup>3</sup>

**PNEC**

- Fresh water; 10.6 mg/l
- marine water; 1.06 mg/l
- Intermittent release; 21 mg/l
- Sediment (Freshwater); 30.4 mg/kg
- Sediment (Marinewater); 3.04 mg/kg
- STP; 100 mg/l
- Soil; 29.5 mg/kg

### CYCLOHEXANE (CAS: 110-82-7)

**Ingredient comments** WEL = Workplace Exposure Limits

**DNEL**

- Consumer - Oral; Long term systemic effects: 59.4 mg/kg/day
- Consumer - Dermal; Long term systemic effects: 1186 mg/kg/day
- Industry - Dermal; Long term systemic effects: 2016 mg/kg/day
- Consumer - Inhalation; Short term local effects: 412 mg/m<sup>3</sup>
- Consumer - Inhalation; Short term systemic effects: 412 mg/m<sup>3</sup>
- Industry - Inhalation; Short term systemic effects: 700 mg/m<sup>3</sup>
- Industry - Inhalation; Short term local effects: 700 mg/m<sup>3</sup>
- Industry - Inhalation; Long term local effects: 700 mg/m<sup>3</sup>
- Industry - Inhalation; Long term systemic effects: 700 mg/m<sup>3</sup>

**PNEC**

- Industry - Fresh water; 0.207 mg/l
- Industry - Sediment (Freshwater); 3.627 mg/l
- Industry - STP; 3.24 mg/l
- Industry - Soil; 2.99 mg/l

### Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene (CAS: 68610-51-5)

**DNEL**

- Workers - Inhalation; Long term systemic effects: 0.35 mg/m<sup>3</sup>
- Workers - Dermal; Long term systemic effects: 4 mg/kg/day
- Workers - Oral; Long term systemic effects: 0.8 mg/kg/day

## Contact Kit

<b>PNEC</b>	<ul style="list-style-type: none"> <li>- Fresh water; 0.01 mg/l</li> <li>- marine water; 0.002 mg/l</li> <li>- Sediment (Freshwater); 426.6 mg/kg</li> <li>- Sediment (Marinewater); 85.25 mg/kg</li> <li>- STP; 100 mg/l</li> <li>- ;</li> </ul>
-------------	---

### Hydrocarbons, C6 isoalkanes <5% n-hexane

<b>DNEL</b>	<p>Consumer - Oral; Long term systemic effects: 1301 mg/kg/day</p> <p>Consumer - Dermal; Long term systemic effects: 1377 mg/kg/day</p> <p>Industry - Dermal; Long term systemic effects: 13964 mg/kg/day</p> <p>Consumer - Inhalation; Long term systemic effects: 1131 mg/m<sup>3</sup></p> <p>Industry - Inhalation; Long term systemic effects: 5306 mg/m<sup>3</sup></p>
-------------	---

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

<b>DNEL</b>	<p>Industry - Dermal; Long term : 300 mg/kg/day</p> <p>Industry - Inhalation; Long term : 2085 mg/m<sup>3</sup></p> <p>Consumer - Dermal; Long term : 149 mg/kg/day</p> <p>Consumer - Inhalation; Long term : 447 mg/m<sup>3</sup></p>
-------------	--

<b>PNEC</b>	No PNEC data available
-------------	------------------------

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients. Dust may form explosive mixture with air. Take precautionary measures against static discharges.

### Eye/face protection

The following protection should be worn: Chemical splash goggles.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

### Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear apron or protective clothing in case of contact.

### Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. Provide eyewash station and safety shower. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin. Wash promptly if skin becomes contaminated. Change work clothing daily before leaving workplace.

### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
-------------------	---------

## Contact Kit

<b>Colour</b>	CREAM
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	Not available. Not available.
<b>pH</b>	Not available. Not determined.
<b>Melting point</b>	Not available.
<b>Initial boiling point and range</b>	80°C @
<b>Flash point</b>	-20°C
<b>Evaporation rate</b>	Moderate
<b>Evaporation factor</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Other flammability</b>	No information available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	0.82
<b>Bulk density</b>	Not available.
<b>Solubility(ies)</b>	Not available. Insoluble in water. Soluble in the following materials: Organic solvents.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	>20 m <sup>2</sup> /s @ 40°C
<b>Explosive properties</b>	No information available.
<b>Comments</b>	Information given is applicable to the product as supplied. Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
<b>Density</b>	
<b>Relative vapour density</b>	
<b>Water solubility</b>	
<b>Viscosity, dynamic</b>	
<b>9.2. Other information</b>	
<b>Refractive index</b>	Not applicable.
<b>Particle size</b>	Not available.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	Not available.
<b>Critical temperature</b>	Not available.
<b>Solvent content:</b>	
<b>Volatile organic compound</b>	Not available.

## Contact Kit

Solids content:

Water:

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known. Avoid heat.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. When heated, vapours/gases hazardous to health may be formed.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given for the mixture in sect 3 is based upon the results of the calculation method. Some of the information given is also taken from data given for the individual ingredients of the mixture.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Not determined.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Not determined.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Not determined.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye irritation.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

## Contact Kit

<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b>General information</b>	Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.
<b>Inhalation</b>	Vapour from this product may be hazardous by inhalation. Vapours may cause headache, fatigue, dizziness and nausea.
<b>Ingestion</b>	Liquid irritates mucous membranes and may cause abdominal pain if swallowed.
<b>Skin contact</b>	Prolonged contact may cause dryness of the skin. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	Repeated exposure may cause chronic eye irritation.
<b>Acute and chronic health hazards</b>	Prolonged contact may cause redness, irritation and dry skin. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Central and/or peripheral nervous system damage. Brain damage.
<b>Route of exposure</b>	Ingestion. Inhalation Skin and/or eye contact
<b>Target organs</b>	Brain Respiratory system, lungs Mucous membranes Skin
<b>Medical symptoms</b>	Skin irritation. Irritation of eyes and mucous membranes. Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.
<b>Medical considerations</b>	Skin disorders and allergies. Convulsions. Central nervous system depression. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

### Toxicological information on ingredients.

#### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> >5000 mg/kg, Oral, Rat

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >2000 mg/kg, Dermal, Rabbit

##### Acute toxicity - inhalation

## Contact Kit

<b>Notes (inhalation LC<sub>50</sub>)</b>	LD <sub>50</sub> >20 mg/l, Inhalation, Rat
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	No information available.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	No information available.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	No information available.
<b>Genotoxicity - in vivo</b>	No information available.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No information available.
<b>Target organ for carcinogenicity</b>	No specific target organs known.
<b>IARC carcinogenicity</b>	Not listed.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	No information available.
<b>Reproductive toxicity - development</b>	This substance has no evidence of toxicity to reproduction.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	No information available.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

### BUTANONE

<b><u>Acute toxicity - oral</u></b>	
<b>Notes (oral LD<sub>50</sub>)</b>	LD <sub>50</sub> >2193 mg/kg, Oral, Rat
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> >5000 mg/kg, Dermal, Rabbit
<b><u>Acute toxicity - inhalation</u></b>	
<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	34.0
<b>Species</b>	Rat

## Contact Kit

<b>ATE inhalation (vapours mg/l)</b>	34.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Not irritating.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Causes eye irritation.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Not sensitising.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Not sensitising.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Carcinogenicity in humans is not expected.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo.
<b>Target organs</b>	Central nervous system
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.

### ACETONE

<b><u>Acute toxicity - oral</u></b>	
<b>Acute toxicity oral (LD<sub>50</sub> mg/kg)</b>	5,800.0
<b>Species</b>	Rat
<b>ATE oral (mg/kg)</b>	5,800.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> >15800 mg/kg, Dermal, Rabbit
<b><u>Acute toxicity - inhalation</u></b>	

## Contact Kit

**Acute toxicity inhalation** 76.0  
(LC<sub>50</sub> vapours mg/l)

**Species** Rat

**ATE inhalation (vapours** 76.0  
**mg/l)**

### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met. Repeated exposure may cause skin dryness or cracking.

### Serious eye damage/irritation

**Serious eye** Causes serious eye damage.  
**damage/irritation**

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Not sensitising.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Carcinogenicity in humans is not expected.

### Reproductive toxicity

**Reproductive toxicity -** This substance has no evidence of toxicity to reproduction.  
**fertility**

**Reproductive toxicity -** This substance has no evidence of toxicity to reproduction.  
**development**

### Specific target organ toxicity - single exposure

**STOT - single exposure** A single exposure may cause the following adverse effects: Drowsiness, dizziness, disorientation, vertigo.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure. NOAEL 900 mg/kg/day, Oral, Rat NOAEC 22500 mg/m<sup>3</sup>, Inhalation, Rat

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

## CYCLOHEXANE

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LC50 >5000 mg/kg, Oral, Rat

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >2000 mg/kg, Dermal, Rabbit

### Acute toxicity - inhalation

## Contact Kit

<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	32.88
<b>Notes (inhalation LC<sub>50</sub>)</b>	LC50 32.88 mg/l, Inhalation, Rat
<b>ATE inhalation (vapours mg/l)</b>	32,880.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	STOT SE 3 May cause drowsiness or dizziness.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

### ROSIN

<b><u>Acute toxicity - oral</u></b>	
<b>Notes (oral LD<sub>50</sub>)</b>	LD <sub>50</sub> >2000 mg/kg, Oral, Rat
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> >2000 mg/kg, Dermal, Rat
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Data lacking.
<b><u>Skin corrosion/irritation</u></b>	

## Contact Kit

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> >5000 mg/kg, Oral, Rat NOAEL 50 mg/kg/day, Oral, Rabbit NOAEL, (USA HPV Program - Repeated Dose Toxicity - Subchronic 90 day feeding study - Increased liver wt and increased adrenal wt (females only) at 1500 ppm and higher 25 mg/kg/day, Oral, Rat NOAEL, USA HPV - Program - Maternal Tox 1000 mg/kg/day, Oral, Rat ED05, BMD (Benchmark Dose) - substance shows a slight increase in the incidence of common fetal skeletal variations 740 mg/kg/day, Oral, Rat

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,000.0

**Species** Rabbit

## Contact Kit

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> >2000 mg/kg, Dermal, Rabbit NOAEL, Repeat dose toxicity, long term systemic effects 160.8 mg/kg/day, Dermal, Rat NOAEL 25 mg/kg/day, Oral, Rat USA HPV-Program - Repeated Dose Toxicity - Subchronic 90-Day feeding study - Increased liver wt and increased adrenal wt (females only) at 1500 ppm and higher.  
1000 mg/kg/day (rat)  
USA HPV-Program - Maternal Tox

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** NOAEC, Repeat dose toxicity, long term systemic effects 28.8 mg/m<sup>3</sup>, Inhalation, Rat LC50/1,0h >163 mg/l, Inhalation, Rat

### Skin corrosion/irritation

**Skin corrosion/irritation** May cause skin abrasion.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Respiratory sensitisation

**Respiratory sensitisation** May cause sensitisation or allergic reactions in sensitive individuals.

### Skin sensitisation

**Skin sensitisation** May cause sensitisation by skin contact.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - development** Suspected of damaging the unborn child.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### Hydrocarbons, C6 isoalkanes <5% n-hexane

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 16,750.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> >5000 ml/kg, Oral, Rat

**ATE oral (mg/kg)** 16,750.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 3,350.0

## Contact Kit

<b>Species</b>	Rabbit
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> 5 mg/kg, Dermal, Rabbit
<b>ATE dermal (mg/kg)</b>	3,350.0
<b><u>Acute toxicity - inhalation</u></b>	
<b>Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)</b>	259,354.0
<b>Species</b>	Rat
<b>Notes (inhalation LC<sub>50</sub>)</b>	LC50 20 mg/l, Inhalation, (Vapour), Rat
<b>ATE inhalation (vapours mg/l)</b>	259,354.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	No oedema (0).
<b>Animal data</b>	Erythema/eschar score: 0.8 Rabbit
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Redness of the conjunctivae Rabbit 0 Oedema of the conjunctivae Rabbit 0.33 Iris score: Normal (0). Cornea score: No ulceration or opacity (0).
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Not available.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not applicable.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not applicable.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.
<b><u>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</u></b>	
<b><u>Acute toxicity - oral</u></b>	

## Contact Kit

<b>Notes (oral LD<sub>50</sub>)</b>	LD <sub>50</sub> >5480 mg/kg, Oral, Rat
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> >2920 mg/kg, Dermal, Rat
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	LC <sub>50</sub> >23300 mg/cm <sup>2</sup> , Inhalation, (Vapour), Rat
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Irritating to skin.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met. Redness of the conjunctivae Rabbit 0 Oedema Conjunctivae score: Normal (0). Rabbit
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Not sensitising. Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No evidence of carcinogenicity in animal studies.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Not applicable.
<b>Reproductive toxicity - development</b>	Not applicable.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Aspiration hazard if swallowed. May be fatal if swallowed and enters airways.
<b><u>Inhalation</u></b>	
<b>Inhalation</b>	Central nervous system depression. Vapours may cause headache, fatigue, dizziness and nausea. Overexposure may depress the central nervous system, causing dizziness and intoxication.
<b><u>Ingestion</u></b>	
<b>Ingestion</b>	The product irritates mucous membranes and may cause abdominal discomfort if swallowed. May cause nausea, headache, dizziness and intoxication. Central nervous system depression.
<b><u>Skin contact</u></b>	
<b>Skin contact</b>	Irritating to skin.
<b><u>Eye contact</u></b>	
<b>Eye contact</b>	The product is strongly irritating to eyes and skin.

## Contact Kit

### SECTION 12: Ecological information

**Ecotoxicity** The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**Acute aquatic toxicity**

**Chronic aquatic toxicity**

Ecological information on ingredients.

#### Hydrocarbons,C7, n-alkanes, isoalkanes, cyclics

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### 12.1. Toxicity

**Toxicity** The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Information given for the mixture in sect 3 is based upon the results of the calculation method. Some of the information given is also taken from data given for the individual ingredients of the mixture.

#### Acute aquatic toxicity

**Acute toxicity - fish** Not determined.

**Acute toxicity - aquatic invertebrates** Not determined.

**Acute toxicity - aquatic plants** Not determined.

**Acute toxicity - microorganisms** Not determined.

**Acute toxicity - terrestrial** Not determined.

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** Not determined.

**Short term toxicity - embryo and sac fry stages** Not determined.

**Chronic toxicity - aquatic invertebrates** Not determined.

**Chronic toxicity in fish**

Ecological information on ingredients.

#### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

#### Acute aquatic toxicity

**Acute toxicity - fish** LC50, : 1-10 mg/l,

**Acute toxicity - aquatic plants** EC<sub>50</sub>, : 10-100 ,

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** The substance is readily biodegradable.

#### BUTANONE

## Contact Kit

### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 48 hours: > 100 mg/l, <i>Leuciscus idus</i> (Golden orfe)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: >100 mg/l, <i>Daphnia magna</i>
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: >100 mg/l, <i>Pseudokirchneriella subcapitata</i>
<b>Acute toxicity - microorganisms</b>	EC <sub>3</sub> , 16 hours: 1150 mg/l, Bacteria

### ACETONE

#### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 5540 mg/l, <i>Oncorhynchus mykiss</i> (Rainbow trout) LC <sub>50</sub> , 96 hours: 11000 mg/l, <i>Alburnus alburnus</i> (bleak)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 8800 mg/l, <i>Daphnia pulex</i> (water flea) EC <sub>50</sub> , 24 hours: 2100 mg/l, <i>Artemisia salina</i>
<b>Acute toxicity - aquatic plants</b>	NOEC, 96 hours: 530 mg/l, Freshwater algae NOEC, 96 hours: 430 mg/l, Marinewater algae
<b>Acute toxicity - microorganisms</b>	EC <sub>12</sub> , 30 minutes: 1000 mg/l, Activated sludge
<b>Acute toxicity - terrestrial</b>	LC <sub>50</sub> , 48 hours: 0.1-1 mg/cm <sup>3</sup> , <i>Eisenia Fetida</i> (Earthworm) LD <sub>50</sub> , 48 hours: 20000 mg/l, <i>Ambystoma mexicanum</i> LD <sub>50</sub> , 48 hours: 24000 mg/l, <i>Xenopus laevis</i>

#### Chronic aquatic toxicity

<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 0.1 mg/l, <i>Daphnia magna</i>
---	---

### CYCLOHEXANE

#### Acute aquatic toxicity

<b>LE(C)<sub>50</sub></b>	0.1 < L(E)C <sub>50</sub> ≤ 1
<b>M factor (Acute)</b>	1
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 48 hours: 4.53 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 0.9 mg/l, <i>Daphnia magna</i>
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: >4 mg/l, <i>Selenastrum capricornutum</i>

#### Chronic aquatic toxicity

<b>NOEC</b>	0.001 < NOEC ≤ 0.01
<b>Degradability</b>	Rapidly degradable
<b>M factor (Chronic)</b>	1

### Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene

#### Acute aquatic toxicity

## Contact Kit

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 48 hours: >1000 mg/l, Leuciscus idus (Golden orfe) LC <sub>50</sub> , 96 hours: >0.2 mg/l, Oncorhynchus mykiss (Rainbow trout) ErC50, 72 hours: >0.2 mg/l, Selenastrum capricornutum NOEC, 17 hours: >=10000 mg/l, Pseudomonas putida NOEC, 72 hours: >0.2 mg/l, Selenastrum capricornutum NOELR, : 1 mg/l, Pimephales promelas (Fat-head Minnow)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: >0.2 mg/l, Daphnia magna NOELR, : 1 mg/l, Daphnia magna

### Hydrocarbons, C6 isoalkanes <5% n-hexane

#### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC50, >: > 1 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 1680 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , : 10-100 mg/l,

### Hydrocarbons,C7, n-alkanes, isoalkanes, cyclics

**Toxicity** The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

#### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hour: >13.4 mg/l, Oncorhynchus mykiss (Rainbow trout)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 3 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 10 mg/l,

#### Chronic aquatic toxicity

<b>Chronic toxicity - fish early life stage</b>	NOEC, 28 days: 1.53 mg/l, Oncorhynchus mykiss (Rainbow trout)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 1 mg/l, Daphnia magna

## 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

**Phototransformation** Not relevant.

**Stability (hydrolysis)** Not determined.

**Biodegradation** Not determined.

**Biological oxygen demand** Not determined.

**Chemical oxygen demand** Not determined.

## Ecological information on ingredients.

### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

## Contact Kit

**Persistence and degradability** The product is readily biodegradable.

**Biodegradation** The substance is readily biodegradable.

### BUTANONE

**Persistence and degradability** The product is biodegradable.

**Biodegradation** >60% 28, days

### ACETONE

**Persistence and degradability** The product is readily biodegradable.

### Hydrocarbons,C7, n-alkanes, isoalkanes, cyclics

**Biodegradation** - 98: 28 days

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

#### Ecological information on ingredients.

### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

**Bioaccumulative potential** Data lacking.

**Partition coefficient** No information available.

### BUTANONE

**Bioaccumulative potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

### ACETONE

**Bioaccumulative potential** No data available on bioaccumulation.

#### 12.4. Mobility in soil

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

**Adsorption/desorption coefficient** Not determined.

**Henry's law constant** Not determined.

**Surface tension** Not determined.

**Environmental distribution**

#### Ecological information on ingredients.

### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

## Contact Kit

**Mobility** No data available.

### BUTANONE

**Mobility** Not considered mobile.

### ACETONE

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product is water-soluble and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

##### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### BUTANONE

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** Not known.

#### Ecological information on ingredients.

##### Hydrocarbons, C6-C7,n-alkanes, isoalkanes,cyclics, <5% n-hexane

**Other adverse effects** Not available.

### ACETONE

**Other adverse effects** WGK 1

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Waste is suitable for incineration. The generation of waste should be minimised or avoided wherever possible. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

**Product**

**Uncleaned packaging**

### SECTION 14: Transport information

## Contact Kit

### 14.1. UN number

UN No. (ADR/RID)	1133
UN No. (IMDG)	1133
UN No. (ICAO)	1133
UN No. (ADN)	1133

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ADHESIVES
Proper shipping name (IMDG)	ADHESIVES
Proper shipping name (ICAO)	ADHESIVES
Proper shipping name (ADN)	ADHESIVES

### 14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

#### Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	2
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33

## Contact Kit

Tunnel restriction code (D/E)

### Segregation Code

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Transport/Additional information Marine Pollutant Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Carriage of Dangerous Goods and use of Transportable Pressure Equipment Regulations 2009 as amended(SI 2009/1348)  
The Control of Substances Hazardous to Health Regulations 2002. (SI 2002 No 2677) as amended

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.

**Guidance** EH40/2005 Workplace exposure limits  
L131 Approved Classification and Labelling Guide (Sixth Edition)

**Health and environmental listings** Contains n-Hexane, CAS No 110-54-3, which has been added to the Candidate List of substances of very high concern.

**Authorisations (Annex XIV Regulation 1907/2006)** No specific authorisations are known for this product.

**Restrictions (Annex XVII Regulation 1907/2006)** This product contains Cyclohexane  
Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:  
‘— This product is not to be used under conditions of poor ventilation.  
— This product is not to be used for carpet laying.’

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

**General information** Only trained personnel should use this material.

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

**Revision date** 23/04/2026

**Revision** 18

**Supersedes date** 16/04/2026

## Contact Kit

**SDS status**

Approved.

**Hazard statements in full**

H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H361d Suspected of damaging the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.  
EUH208 Contains ROSIN. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.