

according to 1907/2006/EC, Article 31 Printing date 12.06.2023 Version number 8 (replaces version 7) Revision: 30.03.2022 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: BIJLARD CITRONEL 5 LTR • Article number: 301107 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites · Product category Flux agents for casting · Process category **PROC7** Industrial spraying PROC11 Non industrial spraying PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities *PROC9* Transfer of substance or mixture into small containers (dedicated filling line, including weighing) **PROC10** Roller application or brushing · Application of the substance / the mixture Cleaning agent/ Cleaner \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: **Bijlard International** Platinastraat 141 2718 SR Zoetermeer Tel: +31 (0)79 343 75 38 Fax: +31 (0)79 343 75 39 e-mail: info@bijlard.com · Further information obtainable from: Department Product Safety · 1.4 Emergency telephone number: Tel: +31 (0)79 343 75 38 (9.00 - 17.00) UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111 IRL: Beaumont Hospital - National Poisons Information Centre: Tel: +353 1 8092566 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 3 H226 Flammable liquid and vapour. health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

tenvironment

(Contd. on page 2)

GB

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31



(Contd. of page 1)

Revision: 30.03.2022

Printing date 12.06.2023

Version number 8 (replaces version 7)

Trade name: CITRUS TERPENE BLANCO 5 LTR		
Aquatic Acute 1	H400 Very toxic to aquatic life.	
Aquatic Chronic 1	H410 Very toxic to aquatic life with long	



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

GB

BIJLARD® PROFESSIONAL ADHESIVES

Printing date 12.06.2023

Version number 8 (replaces version 7)

Revision: 30.03.2022

Trade name: CITRUS TERPENE BLANCO 5 LTR

		(Contd. of page 2)
· Dangerous components:		
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-029-00-7 Reg.nr.: 01-2119529223-47	 (R)-p-mentha-1,8-diene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Skin Irrit. 2, H315; Skin Sens. 1B, H317 Aquatic Chronic 3, H412 	75-≤100%
• Regulation (EC) No 648/20 perfumes (Limonene)	04 on detergents / Labelling for contents	≥30%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

*

*

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.06.2023

Version number 8 (replaces version 7)



Revision: 30.03.2022

Trade name: CITRUS TERPENE BLANCO 5 LTR

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

*

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- *Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin. • **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3
• Hand protection



Protective gloves

• *Material of gloves Butyl rubber, BR*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min

(Contd. on page 5)

(Contd. of page 3)

Printing date 12.06.2023

Version number 8 (replaces version 7)

BIJLARD[®] PROFESSIONAL ADHESIVES

Revision: 30.03.2022

Trade name: CITRUS TERPENE BLANCO 5 LTR

Ethyl acetate: 170 min

(Contd. of page 4)

Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye/face protection

*

Tightly sealed goggles

SECTION 9: Physical and chemical prop	erties
9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Clear
Odour:	Fruit-like
Odour threshold:	Not determined.
Melting point/freezing point:	-74 °C (-101.2 °F)
Boiling point or initial boiling point and boiling	
range	176 °C (348.8 °F)
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.7 Vol %
Upper:	6.1 Vol %
Flash point:	43 °C (109.4 °F)
Auto-ignition temperature:	245 °C (473 °F)
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water at 25 °C (77 °F):	12.3 g/l
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 25 °C (77 °F):	2 hPa (1.5 mm Hg)
Density and/or relative density	
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.7 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
• ·	
9.2 Other information	
Appearance:	Ehrid
Form:	Fluid
Important information on protection of health and	a
environment, and on safety.	
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	04.0.07
Organic solvents:	94.0 %
VOC (EC)	
VOC-EU%	0.0.0/
Solids content:	0.0 %
	(Contd. on page 6



Revision: 30.03.2022

Printing date 12.06.2023

Version number 8 (replaces version 7)

Trade name: CITRUS TERPENE BLANCO 5 LTR

	(Contd. c	of page
Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard o	classes	
· Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Flammable liquid and vapour.	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot **10.4 Conditions to avoid** No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

5989-27-5 (R)-p-mentha-1,8-diene

Oral LD50 2000 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation No irritating effect.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

· Aspiration hazard May be fatal if swallowed and enters airways.

 \cdot 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

GB

Version number 8 (replaces version 7)



Revision: 30.03.2022

Trade name: CITRUS TERPENE BLANCO 5 LTR

(Contd. of page 6)

SECTION 12: Ecol	logical information

· 12.1 Toxicity

Printing date 12.06.2023

· Aquatic toxicity: 5989-27-5 (R)-p-mentha-1,8-diene

EC50 / 48 h 0.36 mg/l (daphnia magna)

EC50 / 72 h 150 mg/l (algae)

EC50/72h 0.72 mg/l (fish)

LC50 / 72 h 0.72 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN2052
14.2 UN proper shipping name	
ADR	2052 DIPENTENE, ENVIRONMENTALLY
	HAZARDOUS
IMDG	DIPENTENE, MARINE POLLUTANT
IATA	DIPENTENE

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.06.2023

Version number 8 (replaces version 7)



Revision: 30.03.2022


Trade name: CITRUS TERPENE BLANCO 5 LTR

14.3 Transport hazard class(es)	(Contd. of pa
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	Yes Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E,S-E A
14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
Transport category Tunnel restriction code	3 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
UN "Model Regulation":	UN 2052 DIPENTENE, 3, III, ENVIRONMENTALL. HAZARDOUS

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31



Version number 8 (replaces version 7)



Revision: 30.03.2022

Trade name: CITRUS TERPENE BLANCO 5 LTR

(Contd. of page 8)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. · Contact: QHSE Department · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.