

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/26/2022 Revision date: 8/28/2023 Supersedes version of: 7/26/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Bijlard Façade 25 HM
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Sealant

Title	Life cycle stage	Use descriptors
Bijlard Façade 25 HM	Professional	PC1

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Bijlard International Platinastraat 141 2718 SR Zoetermeer The Netherlands

T +31 (0)79 343 75 38

info@bijlard.com - www.bijlard.com

1.4. Emergency telephone number

No additional information available.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids Not classified

Skin sensitisation Not classified VTMO statement

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate, Octadecanoic acid, 12-

hydroxy-, reaction products with ethylenediamine, N-(3-

(trimethoxysilyl)propyl)ethylenediamine, Trimethoxyvinylsilane. May produce an allergic

reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

8/28/2023 (Revision date) EN (English) 1/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760- 24-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Trimethoxyvinylsilane (2768-02-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Product name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Di-"isononyl" phthalate substance with national workplace exposure limit(s) (GB)	CAS-No.: 28553-12-0 EC-No.: 249-079-5 REACH-no: 01-2119430798- 28	20 – 30	Not classified
Limestone substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6	5 – 10	Not classified
Trimethoxyvinylsilane	CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0 REACH-no: 01-2119513215- 52	1 – 5	Skin Sens. 1B, H317
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	CAS-No.: 100545-48-0 EC-No.: 309-629-8 REACH-no: 01-2119979085- 27	0.1 – 1	Skin Sens. 1B, H317
N-(3-(trimethoxysilyl)propyl)ethylenediamine	CAS-No.: 1760-24-3 EC-No.: 217-164-6 REACH-no: 01-2119970215- 39	0.1 – 1	Skin Sens. 1B, H317 STOT SE 3, H335 Eye Dam. 1, H318
bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate	CAS-No.: 41556-26-7 EC-No.: 255-437-1	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: In case of doubt or persistent symptoms, consult always a physician.

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical attention.

8/28/2023 (Revision date) EN (English) 2/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash skin with mild soap and water. Do not

use solvents or diluting agents for skin cleaning. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or

redness persists.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical attention if ill effect

develops.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, or water spray or regular foam. Making extinguishing agents

environment-friendly.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : At high temperature may liberate dangerous gases.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Move undamaged containers from

immediate hazard area if it can be done safely.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear personal protective equipment. Stop leak if safe to do so.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : On land, sweep or shovel into suitable containers. Place in a suitable container for disposal

in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

8/28/2023 (Revision date) EN (English) 3/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep out of frost. Protect

from heat and direct sunlight.

7.3. Specific end use(s)

No supplementary information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Di-"isononyl" phthalate (28553-12-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Diisononyl phthalate	
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Limestone (1317-65-3)		
United Kingdom - Occupational Exposure Limits		
Local name	Calcium carbonate (Limestone, Marble)	
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	0.308 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	0.055 mg/m³	
PNEC (Sediment)		
PNEC sediment (freshwater)	58 μg/kg dw	
PNEC sediment (marine water)	5.8 μg/kg dw	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
PNEC (Soil)		
PNEC soil	0.484 mg/kg dwt	
methanol (67-56-1)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	20 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	130 mg/m³	
Acute - local effects, inhalation	130 mg/m³	
Long-term - systemic effects, dermal	20 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	130 mg/m³	
Long-term - local effects, inhalation	130 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	4 mg/kg bodyweight	
Acute - systemic effects, inhalation	26 mg/m³	
Acute - systemic effects, oral	4 mg/kg bodyweight	
Acute - local effects, inhalation	26 mg/m³	
Long-term - systemic effects,oral	4 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	26 mg/m³	
Long-term - systemic effects, dermal	4 mg/kg bodyweight/day	
Long-term - local effects, inhalation	26 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	20.8 mg/l	
PNEC aqua (marine water)	2.08 mg/l	
PNEC aqua (intermittent, freshwater)	1540 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	77 mg/kg dwt	
PNEC sediment (marine water)	7.7 mg/kg dwt	
PNEC (Soil)		
PNEC soil	100 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	5 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	35.3 mg/m³	
Acute - local effects, inhalation	5.36 mg/m³	
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	35.3 mg/m³	
Long-term - local effects, inhalation	600 μg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	17 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	8.7 mg/m³	
Acute - local effects, inhalation	4 mg/m³	
Long-term - systemic effects,oral	2.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	8.7 mg/m ³	
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day	
Long-term - local effects, inhalation	100 μg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	62 µg/l	
PNEC aqua (marine water)	620 μg/l	
PNEC aqua (intermittent, freshwater)	620 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	220 μg/kg	
PNEC sediment (marine water)	22 μg/kg	
PNEC (Soil)		
PNEC soil	8.5 μg/kg	
PNEC (STP)		
PNEC sewage treatment plant	25 mg/l	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	500 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, oral Long-term - systemic effects, inhalation	26 mg/kg bodyweight/day 89 mg/m³	
Long-term - systemic effects, inhalation	89 mg/m³	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal	89 mg/m³	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water)	89 mg/m³ 319 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt	
Long-term - systemic effects, inhalation Long-term - systemic effects, dermal PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (Soil)	89 mg/m³ 319 mg/kg bodyweight/day 140.9 mg/l 140.9 mg/l 140.9 mg/l 552 mg/kg dwt 552 mg/kg dwt	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
PNEC (STP)		
PNEC sewage treatment plant	2251 mg/l	
Trimethoxyvinylsilane (2768-02-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	3.9 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	27.6 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	26.9 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	93.4 mg/m³	
Long-term - systemic effects,oral	300 μg/kg dw	
Long-term - systemic effects, inhalation	6.7 mg/m³	
Long-term - systemic effects, dermal	7.8 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	360 μg/l	
PNEC aqua (marine water)	36 µg/l	
PNEC aqua (intermittent, freshwater)	2.4 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.3 mg/kg dwt	
PNEC sediment (marine water)	130 μg/kg	
PNEC (Soil)		
PNEC soil	55 μg/kg	
PNEC (STP)		
PNEC sewage treatment plant	110 mg/l	

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Hand protection:

Recommendation: Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): e.g. nitrile rubber (>=0.4 mm), butyl rubber (>=0.7 mm) and others. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves must be replaced after each use and whenever signs of wear or perforation appear

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : white. Appearance : Paste. Odour : None. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Not available Lower explosion limit : Not available : Not available Upper explosion limit : Not available Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available Viscosity, kinematic 54426.705 mm²/s Viscosity, dynamic 75000 mPa·s @ 22 °C

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 1.378 g/cm³ (DIN / ISO 1183-1)

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Protect against frost.

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified	
bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate (41556-26-7)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
LD0, oral, rat	≥ 2000 mg/kg bw	
LC0, Inhalation, rat	≥ 5.05 mg/l/4h	
Di-"isononyl" phthalate (28553-12-0)		
LD50 oral rat	10000 mg/kg	
LD50 dermal rabbit	3160 mg/kg	
LC50 Inhalation - Rat	4.4 mg/l/4h	
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
LD50 oral rat	1897 – 2574 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 Inhalation - Rat	1.49 – 2.44 mg/l/4h	
ATE oral	1897 mg/kg bodyweight	
ATE dermal	2000 mg/kg bodyweight	
ATE vapours	1.49 mg/l/4h	
ATE dust/mist	1.49 mg/l/4h	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Trimethoxyvinylsilane (2768-02-7)		
LD50 oral rat	7.34 – 7.46 ml/kg	
LD50 dermal rabbit	3.36 – 4 ml/kg	
LC50 Inhalation - Rat [ppm]	2773 ppm	
ATE oral	7340 mg/kg bodyweight	
ATE dermal	3360 mg/kg bodyweight	
ATE gases	2773 ppmv/4h	
Skin corrosion/irritation :	Not classified	
Limestone (1317-65-3)		
pH	8.5 – 6.5	
Serious eye damage/irritation :	Not classified	
Limestone (1317-65-3)		
pH	8.5 – 6.5	
	Not classified (VTMO statement).	
,	Not classified	
Carcinogenicity : Di-"isononyl" phthalate (28553-12-0)	Not classified	
NOAEL (chronic, oral, animal/male, 2 years)	88.3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OTS 798.3300 (Carcinogenicity), Remarks on results: other:Effect type: toxicity (migrated information)	
NOAEL (chronic, oral, animal/female, 2 years)	108.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OTS 798.3300 (Carcinogenicity), Remarks on results: other:Effect type: toxicity (migrated information)	
Reproductive toxicity :	Not classified	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
NOAEL (animal/female, F0/P)	≥ 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)	
Di-"isononyl" phthalate (28553-12-0)		
NOAEL (animal/female, F1)	200 – 260 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:EC Dangerous Substances Directive (67/548/EEC), Annex V, Part B; 1987, Guideline: EPA OTS 798.4700 (Reproduction and Fertility Effects)	
Trimethoxyvinylsilane (2768-02-7)		
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor Protocol of GL 422)	
NOAEL (animal/female, F0/P)	250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor Protocol of GL 422)	
STOT-single exposure :	Not classified	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	(1760-24-3)	
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.1 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study), Remarks on results: other:	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Di-"isononyl" phthalate (28553-12-0)		
NOAEL (dermal, rat/rabbit, 90 days)	≈ 500 mg/kg bodyweight Animal: rabbit	
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (dermal, rat/rabbit, 90 days)	≥ 1545 mg/kg bodyweight Animal: rat	
Trimethoxyvinylsilane (2768-02-7)		
LOAEL (oral, rat, 90 days)	62.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (oral, rat, 90 days)	< 62.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
Aspiration hazard : Not classified		
Bijlard Façade 25 HM		
Viscosity, kinematic	54426.705 mm ² /s	
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Viscosity, kinematic	3.1 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'	

11.2. Information on other hazards

No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(chronic)		
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
NOEC (chronic)	≥ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
LL50, fish, short term	10 mg/l (4 Hours)	
Di-"isononyl" phthalate (28553-12-0)		
LC50 - Fish [1]	102 mg/l (4 days)	
EC50 - Crustacea [1]	74 mg/l (48 h)	
EC50 72h - Algae [1]	88 mg/l	
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
LC50 - Fish [1]	597 mg/l	
EC50 - Crustacea [1]	81 mg/l	
EC50 72h - Algae [1]	11 mg/l	
EC50 72h - Algae [2]	352 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Trimethoxyvinylsilane (2768-02-7)	
LC50 - Fish [1] 191 mg/l	
EC50 - Crustacea [1]	168.7 mg/l
EC50 72h - Algae [1] 89 mg/l	

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)		
Partition coefficient n-octanol/water (Log Pow) 5.86		
Di-"isononyl" phthalate (28553-12-0)		
Partition coefficient n-octanol/water (Log Pow) 8.8 – 9.7 @ 25 °C / pH 4.6		
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Partition coefficient n-octanol/water (Log Pow) -40.3 @ 20 °C / pH 2 - 9		

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

Component	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760- 24-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Trimethoxyvinylsilane (2768-02-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available.

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations

Ecology - waste materials

European List of Waste (LoW) code

- : Disposal must be done according to official regulations.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : $08\,00\,00$ WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE

(MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not regulated for transport				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available.				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	bis(1,2,2,6,6-pentamethyl- 4-piperidyl)sebacate; N- (3- (trimethoxysilyl)propyl)eth ylenediamine; Trimethoxyvinylsilane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	bis(1,2,2,6,6-pentamethyl- 4-piperidyl)sebacate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on Entry title or description		
52(a)	Di-"isononyl" phthalate	Phthalates: Di-"isononyl" phthalate (DINP)	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	EUH-statements	Modified	
3	Composition/information on ingredients	Modified	

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	uropean Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ED	Endocrine disrupting properties		
EC-No.	European Community number		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
IOELV	Indicative Occupational Exposure Limit Value		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
N.O.S.	Not Otherwise Specified		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
TRGS	Technical Rules for Hazardous Substances		
VOC	Volatile Organic Compounds		
WGK	Water Hazard Class		
vPvB	Very Persistent and Very Bioaccumulative		

Data sources
Other information

- : ECHA (European Chemicals Agency). Manufacturer/Supplier.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH208	Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate, Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine, N-(3-(trimethoxysilyl)propyl)ethylenediamine, Trimethoxyvinylsilane. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Full text of use descriptors	
PC1 Adhesives, sealants	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. Not classified Expert judgement		
Skin Sens. Not classified Expert judgement		

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

8/28/2023 (Revision date) EN (English) 16/16